



**067B2790** 

Orifice for expansion valve, ORF, R407C; R452A; R407A; R134a; R407F; R404A/R507A; R513A; R1234yf; R22; R448A; R449A



**PRODUCT DETAILS**

<b>Gross weight</b>	0.134 Kg
<b>Net weight</b>	0.101 Kg
<b>Volume</b>	0.283 Liter
<b>EAN</b>	5702428320979
<b>Approval</b>	EAC LLC CDC TYSK
<b>In scope of WEEE and contain batteries</b>	No
<b>Orifice size</b>	02
<b>Packing format</b>	Multi pack
<b>Parts Program name</b>	PHT TE5
<b>Product accessories</b>	TXV accessories
<b>Product group</b>	Expansion valves
<b>Product Name Description</b>	Orifice for expansion valve
<b>Quantity per packing format</b>	8 pc
<b>Rated cap. cond. Range N [IMP]</b>	tcond=100 °F tevap=40 °F tliq=98 °F
<b>Rated cap. cond. Range N [SI]</b>	tconc=38 °C tevap=4.4 °C tliq=37 °C
<b>Rated cap. R134a, Range N [kW]</b>	16 kW
<b>Rated cap. R134a, Range N [TR]</b>	4.5 TR
<b>Rated cap. R22, Range B [kW]</b>	16.7 kW
<b>Rated cap. R22, Range B [TR]</b>	4.76 TR
<b>Rated cap. R22, Range N [kW]</b>	25 kW
<b>Rated cap. R22, Range N [TR]</b>	7 TR
<b>Rated cap. R404A, Range B [kW]</b>	10.9 kW
<b>Rated cap. R404A, Range B [TR]</b>	3.09 TR
<b>Rated cap. R404A, Range N [kW]</b>	19 kW
<b>Rated cap. R404A, Range N [TR]</b>	5.5 TR
<b>Rated cap. R407A, Range N [kW]</b>	25 kW
<b>Rated cap. R407A, Range N [TR]</b>	7 TR
<b>Rated cap. R407C, Range N [kW]</b>	25 kW
<b>Rated cap. R407C, Range N [TR]</b>	7 TR
<b>Rated cap. R407F, Range N [kW]</b>	28 kW
<b>Rated cap. R407F, Range N [TR]</b>	8 TR
<b>Rated cap. R507, Range B [kW]</b>	10.9 kW

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.



**PRODUCT DETAILS**

<b>Rated cap. R507, Range B [TR]</b>	3.09 TR
<b>Rated cap. R507, Range N [kW]</b>	19 kW
<b>Rated cap. R507, Range N [TR]</b>	5.5 TR
<b>Rated cap.R1234yf, Range N [kW]</b>	14 kW
<b>Rated cap.R1234yf, Range N [TR]</b>	4 TR
<b>REACH Candidate List substances</b>	Lead (CAS no. 7439-92-1)
<b>Refrigerants</b>	R134a R22 R404A/R507A R407A R407C R407F R448A R449A R452A R513A R1234yf
<b>SCIP dossier no.</b>	7a4717a2-7803-4273-9d94-59ccfb927c1e
<b>SCIP dossier product name</b>	TE
<b>Serviceable</b>	TXV spare parts
<b>Type</b>	ORF
<b>Used for product</b>	PHT/TE 5

For Documents, Software, Visuals and more information, please use this link to visit the product page on Danfoss Product Store [🔗](#)

[www.sabacool.ir](http://www.sabacool.ir)

