





Orifice for expansion valve, ORF, R407C; R452A; R407A; R134a; R407F; R404A/R507A; R513A; R22; R448A; R449A



PRODUCT DETAILS

| I NODOCI DEIAILS | |
|--------------------------------|-----------------------------|
| Gross weight | 0.164 Kg |
| Net weight | 0.13 Kg |
| Volume | 0.283 Liter |
| EAN | 5702428320917 |
| Approval | EAC |
| | LLC CDC TYSK |
| In scope of WEEE and contain | No |
| batteries | |
| Orifice size | 06 |
| Packing format | Multi pack |
| Parts Program name | TE 12 |
| Product accessories | TXV accessories |
| Product group | Expansion valves |
| Product Name Description | Orifice for expansion valve |
| Quantity per packing format | 8 pc |
| Rated cap. cond. Range N [IMP] | tcond=100 °F |
| | tevap=40 °F |
| | tliq=98 °F |
| Rated cap. cond. Range N [SI] | tconc=38 °C |
| | tevap=4.4 °C |
| | tliq=37 °C |
| Rated cap. R134a, Range N [kW] | 49 kW |
| Rated cap. R134a, Range N [TR] | 14 TR |
| Rated cap. R22, Range B [kW] | 38 kW |
| Rated cap. R22, Range B [TR] | 10.8 TR |
| Rated cap. R22, Range N [kW] | 74 kW |
| Rated cap. R22, Range N [TR] | 21 TR |
| Rated cap. R404A, Range B [kW] | 27.9 kW |
| Rated cap. R404A, Range B [TR] | 7.97 TR |
| Rated cap. R404A, Range N [kW] | 63 kW |
| Rated cap. R404A, Range N [TR] | 18 TR |
| Rated cap. R407A, Range N [kW] | 74 kW |
| Rated cap. R407A, Range N [TR] | 21 TR |
| Rated cap. R407C, Range N [kW] | 74 kW |
| Rated cap. R407C, Range N [TR] | 21 TR |
| Rated cap. R407F, Range N [kW] | 95 kW |
| Rated cap. R407F, Range N [TR] | 27 TR |
| Rated cap. R507, Range B [kW] | 27.9 kW |
| Rated cap. R507, Range B [TR] | 7.97 TR |
| | |

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

Product Detail | Orifice for expansion valve, ORF, R407C; R452A; R407A; R134a; R407F; R404A/R507A; R513A; ENGINEERING TOMORROW R22; R448A; R449A





PRODUCT DETAILS

| Rated cap. R507, Range N [kW] | 63 kW | |
|---------------------------------|--------------------------------------|--|
| Rated cap. R507, Range N [TR] | 18 TR | |
| REACH Candidate List substances | Lead (CAS no. 7439-92-1) | |
| Refrigerants | R134a | |
| | R22 | |
| | R404A/R507A | |
| | R407A | |
| | R407C | |
| | R407F | |
| | R448A | |
| | R449A | |
| | R452A | |
| | R513A | |
| SCIP dossier no. | 7a4717a2-7803-4273-9d94-59ccfb927c1e | |
| SCIP dossier product name | TE | |
| Serviceable | TXV spare parts | |
| Туре | ORF | |
| Used for product | TE 12 | |
| | | |

For Documents, Software, Visuals and more information, please use this link to visit the product page on Danfoss Product Store 🗅

www.sabacool.ir





